



ZYPCOTE

PREMIUM CALCINED GYPSUM PLASTER



ADITYA BIRLA

BUILDING
SOLUTIONS

THE SMARTER ALTERNATIVE TO TRADITIONAL PLASTER. BIRLA WHITE ZYPCOTE



ZYPCOTE

Birla White Zypcote is specially formulated gypsum plaster for internal plastering. It can be applied as a replacement of traditional cement. It can also be used as levelling material. Zypcote's additives give it great compressive strength while being light weight.

It does not require water curing which makes the surface ready for painting in 72 hours.



PRODUCT HIGHLIGHTS



No Water Curing



Shrinkage Crack Resistant



Easy to Apply



Economical & Value for Money

GALLERY



FEATURES

- Green building product
- Higher coverage & economical
- Can be applied in thicker coat of 8-10 mm wall thickness
- No water curing
- Shrinkage-Crack-Resistant

BENEFITS

- Easy to apply: Just add water
- Achieve perfect corners and level finish on your walls with minimal effort
- Better acoustic & insulation properties than cement sand plaster
- No curing is required and surface is ready within 72 hours for painting

APPLICATION

- Interior walls

TECHNICAL SPECIFICATIONS

S.No.	Technical Parameters	Birla White Zypcote
1.	Dry bulk Density (kg/m ³)	645-770
2.	Initial Setting Time (minutes)	10-20
3.	Final Setting Time (minutes)	20-40
4.	*Coverage (Sq. ft. per 25 Kg bag)	20-25
5.	Soluble MgO Wt%	As per IS code 2547 Part II
6.	Soluble Na ₂ O wt%	As per IS code 2547 Part II

*For 8-10 mm coat thickness

AVAILABLE SIZES 25KG





PREMIUM CALCINED GYPSUM PLASTER



**TO KNOW MORE PLEASE
SCAN THE CODE**

Birla White - A Unit of UltraTech Cement Limited

9th Floor, Birla Centurion, Pandurang Budhkar Marg, Worli, Mumbai – 400030
Telephone Board Nos: 022-68540444 / 50365111

🌐 Website: www.birlawhite.com | 📞 Toll Free No.: 1800 11 1717

📘 www.facebook.com/BirlaWhiteCement | 🐦 [X.com/BirlaWhite](https://x.com/BirlaWhite)

✉ bw-consumercare@adityabirla.com