

Categories	Variant	SKU	Packaging type	CPCB Declaration
WHITE CEMENT	WHITE CEMENT	1kg, 5kg, 25kg, 40Kg, 50kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100 - 130 µ approx.
		1kg, 5kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
		1000Kg, 1500Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 380-550 µ approx.
	EVER WHITE CEMENT WASH	25 Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 145-150µ approx.
PUTTY	WALLCARE PUTTY-ORIGINAL	1kg, 5kg, 10kg, 20kg, 30Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-225 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	WALLCARE PUTTY-ROSE	20Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-140 µ approx.
	WALLCARE PUTTY-LEMON	20Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-140 µ approx.
	WALLCARE PUTTY-LAVENDER	20Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-140 µ approx.
	WALLCARE PUTTY-Precote	30Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-135 µ approx.
	WALLCARE PUTTY-SANDALWOOD	20Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-140 µ approx.
	EXCEL PUTTY	1kg, 5kg, 20kg, 30Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-150 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	COAESE - MF	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 140-145 µ approx.

	COARSE - MFB	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 140-145 µ approx.
	YEMEN	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 140-145 µ approx.
	BIO-SHIELD PUTTY	30Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 130-140 µ approx.
	WALLSEAL WALLPROOF PUTTY	1kg, 5kg, 20kg, 30Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-135 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
WATER PROOFING SOLUTIONS	SEEP GUARD INTERIOR SURFACE	2Kg, 10Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-210 µ approx.
	SEEP GUARD VERTICAL SURFACE	15Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 145-210 µ approx.
	SEEP GUARD HORIZONTAL SURFACE	15Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 125-210 µ approx.
	SEEP GUARD SEEP BLOCKER 2K	3Kg, 15Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,
		3Kg, 15Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 200 µ approx.
	SEEP GUARD SEEP BLOCKER PRO 2K	12Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 200 µ approx.
		12Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,
	SEEP GUARD CRACK END	1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
		1Kg, 5Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-171 µ approx.
DISTEMPER PAINT	TRUTONEX DISTEMPER-Daffodil Yellow	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.

		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	TRUTONEX DISTEMPER- Electric Blue	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	TRUTONEX DISTEMPER- Merrie Pink	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	TRUTONEX DISTEMPER- Off White	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	TRUTONEX DISTEMPER- Pastel Green	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
	TRUTONEX DISTEMPER- Super White	1Kg, 5Kg, 20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-215 µ approx.
		1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
PRIMER	ACTIVCOAT EXTERIOR- PRIMER	1L, 4L, 10L, 20L	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,
	ACTIVCOAT INTTERIOR- PRIMER	1L, 4L, 10L, 20L	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,
	PRIMACOAT EXTERIOR- PRIMER	1L, 4L, 10L, 20L	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,
	PRIMACOAT INTTERIOR- PRIMER	1L, 4L, 10L, 20L	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regn. No. BO-13-000-11-AAACL6442L-23, Cat-I Rigid Plastic packaging,

	EXTOCARE-PRIMER	1Kg, 5Kg	HDPE	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 105-110 µ approx.
		1Kg, 5Kg, 10Kg, 30Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-165 µ approx.
TILE ADHESIVE AND GROUT	TILESTIX INTERO	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 245 µ approx.
	TILESTIX INTERO GRIP+	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 245 µ approx.
	TILESTIX VITRIBIND	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 245 µ approx.
	TILESTIX VITRIBIND GRIP+	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 245 µ approx.
	TILESTIX EXTERO	20Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 245 µ approx.
	TILELYNK TILE GROUT	1Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 100-105 µ approx.
GYPSUM PLASTER	ZYPSOFINE	2Kg, 20Kg, 25Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 140-160 µ approx.
	ZYPCOTE	25Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 140-160 µ approx.
PLASTER	LEVELPLAST	5Kg, 20Kg, 40Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 150-160 µ approx.
TEXTURES	TEXTURA TROWEL FINISH	20Kg, 25Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 135-140 µ approx.
	TEXTURA ROLLER FINISH	20Kg, 25Kg	PP	ULTRATECH CEMENT LIMITED, CPCB Regin. No. BO-13-000-11-AAACL6442L-23, Cat-II Flexible Plastic packaging, thickness 135-140 µ approx.